# MaterialSafety DataSheet **MSDS**

# According to ISO 11014-2009

Sample name: Tar Remover

Applicant: Guangzhou keli Auto Parts Co.,Ltd.

address: 510540, No.70, South Street, Dayuan village, Taihe Town,

Baiyun District, Guangzhou

Date: 2025-1-20

Entrusting company: Guangzhou Huadong Testing Service Co., LTD







No.C250223000001-2

Date:On February 23,2025 Page2of11

## Section 1 - substance / mixture and business information

#### 1.1 Product information

product name: Tar Remover

product model:-

Product trademark:-

product code:-

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use:No information available.

Uses advised against: No information available.

#### 1.3 Supplier Information Manufacturers / Supplier

manufacturer: Guangzhou keli Auto Parts Co., Ltd.

address:510540, No.70, South Street, Dayuan village, Taihe Town, Baiyun District, Guangzhou supplier:Guangzhou keli Auto Parts Co.,Ltd.

address:510540, No.70, South Street, Dayuan village, Taihe Town, Baiyun District, Guangzhou

Country of origin: China Tel.: +86-13352897412

1.4 Emergency Tel: +86-13352897412

## Section 2 -Hazard information

#### 2.1 Classification of substances or mixtures:

Classification according to the GHS regulations

Flammable liquid (Category 3)

Skin Stimulation (Category 3)

Ocular irritation (category 2A)

Labeling is performed in accordance with the EU Regulation (EC) No 1272 / 2008

Harm diagrams:



GHS02

GHS07

Warning language: warn!

**Hazard description :** H226 flammable liquids and vapors.

H316 caused a mild skin irritation. H319 caused severe ocular irritation.

Prevention note: P210Keep away from heat sources, thermal surfaces, sparks, open fires, and

other ignition sources.no smoking.



No.C250223000001-2

Date:On February 23,2025 Page3of11

P233 Keep the container closed.

P240 container and loading equipment are grounded and potential connection.

P241 uses explosion-proof "electrical / ventilation / lighting /..." equipment.

P242 uses tools that do not generate sparks.

P243 took action to prevent electrostatic discharge.

P264 + P265Clean the hands thoroughly after operation [and other body contaminated areas]. Don't touch your eyes.

P280 wear protective gloves / wear protective clothing / wear protective eye mask / protective mask / hearing protection device...

Emergency measures: P332 + P317 Skin irritation: seek medical attention.

P305 + P351 + P338 If entering the eye: carefully rinse with water for a few minutes, wear contact lenses and easily remove, remove the contact lenses, and continue to rinse.

P303 + P361 + P353 such as skin (or hair) is contaminated: Remove all contaminated clothing immediately. Wash the skin with water [or shower].

P337 + P317 if eye irritation continues.

P370 + P378 If a fire, use alcohol resistant foam, dry powder, carbon dioxide extinguishing medium to extinguish the fire.

Storage: P403 + P235 is stored in a well-ventilated place. Keep the low temperature.

**Disposal:** P501 Disposal of internal contents / containers to the approved waste disposal plants according to local / regional / national / international regulations.

#### 2.3 Other hazards

Generally speaking, it is harmless, and there is no spark before use,

# Section 3 -Composition / composition information

#### 3.1 Chemical characteristics: the mixture.

**Product:** It consists of the following components.

constituent	CAS No.	thickness	EC No.
ISOPARAFFIN L	64742-48-9	80%	265-150-3
Xylene	1330-20-7	20%	215-535-7



No.C250223000001-2

Date:On February 23,2025 Page4of11

## Section 4 -First-aid measures

#### 4.1 Description of the first-aid measures

general recommendation: If in doubt, please seek medical help.

Inhalation: If inhaled, move to fresh air. If not, please use artificial respiration. If the symptoms persist, see a doctor.

Skin contact: Wash the skin with plenty of water. Get medical attention for skin irritation or rash.

Eye contact: Rinse with water for a few minutes, occasionally lifting the upper and lower eyelids.

Access to medical assistance.

#### 4.2 The most important acute and delayed symptoms / effects

No data available.

#### 4.3 Note immediate medical treatment and special treatment required if necessary

According to the disease treatment.

## Section 5-Fire protection measures

#### 5.1 Fire-extinguishing medium

Use a water spray, dry chemicals, chemical foam, or carbon dioxide.

#### 5.2 Special hazards arising from this substance or mixture

No data available.

#### 5.3 Advice to firefighters

Wear IN MSHA / NIOSH (approved or equivalent) pressure-required self-contained respirator and comprehensive protective equipment in any fire.

## Section 6- Unintended release measures

#### 6.1 Personal protection, protection equipment and emergency procedures

Evacuate personnel from the contaminated area to the safe area, and prohibit irrelevant personnel from entering the contaminated area. Emergency personnel are advised to use protective equipment as needed. Cut off the leak source as much as possible. Avoid inhalation of dust. Ensure adequate ventilation.

#### For non-emergency personnel

Avoid contact with the skin and the eyes. Non-emergency personnel should evacuate the relevant area immediately. For first aid personnel

#### For first aid personnel

Emergency personnel shall be equipped with appropriate personal protective equipment (see Part 8).



No.C250223000001-2

Date:On February 23,2025 Page5of11

## 6.2 Environmental protection measures

Avoid releasing the environment. Avoid pouring water into drains, surface water, and ground water.

#### 6.3 Control and cleaning methods and materials

It is best to clean with a detergent, by not using a solvent. Control overflow and then place them in containers for disposal per local regulations.

#### 6.4 Reference to other parts

See Section 7 for safety disposal information. See Part 8 for personal protective equipment information. See Part 13 for discarding information.

# Section 7-Handling and storage

#### 7.1 Protective measures for safe handling

Pay attention to ventilation. Provide exhaust equipment to produce dust. Operators must be specially trained and strictly follow the operating procedures. Operators shall wear safety protective equipment as required. Handle carefully to avoid damage to the packaging and containers. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emergency treatment equipment.

#### Recommended equipment and procedures

See Part 8 for personal protection. Compliance with the precautions and industrial safety regulations stated on the label.

#### Prohibited equipment and procedures

No data available.

#### lay in

Seal the container in a dry, cool, and well-ventilated place.

#### pack

Always use the packaging made from the same material as the original one.

#### 7.2 Conditions for safe storage, including all incompatibility

No data available.

#### 7.3 Specific uses

No data available.



No.C250223000001-2

Date:On February 23,2025 Page6of11

## Section 8 -Contact control / habeas are

## 8.1 Occupational exposure limits for the control parameters

No data available.

#### 8.2 Exposure control

Control measures must conform to the community environmental protection methods.

#### Eye / face protection

Wear the chemical safety protection eyes.

Prescription glasses are not seen as protective.

No data available.

#### Protection of hands

Wear suitable protective gloves for EN374 chemical resistance. Gloves must be selected based on usage and duration in the workplace. Protective gloves should be selected according to their applicability to the relevant workstations: other treatable chemicals, necessary physical protection (cutting, piercing, insulation ), required dexterity. Recommended performance: watertight gloves conforming to the EN374 standard.

#### **Body protection**

Work clothes of personnel should be cleaned regularly. After contact with the product, all the dirty parts of the body must be cleaned.

#### Respiratory protection

If the engineering control device cannot maintain concentrations in the air to a level sufficient to protect the health of the worker, an approved respirator must be worn.

#### Environmental exposure control

The controls must comply with the local environmental protection regulations.



No.C250223000001-2

Date:On February 23,2025

Page 7of11

# Section 9 - Physical and chemical properties

9.1 Information on the basic physicochemical properties

Appearance / shape: liquid

Color: transparent

Smell: The raw material itself tastes

PH Value: 7

**Melting point / setting point:** no data is available **Initial boiling point / boiling point range:** N/A

Flash point: N/A

Evaporation speed: No data is available Flammability (solid, gas): not applicable Vapor pressure: No data is available

Vapour density: N/A

Relative density: 0.85 (20 , liquid part) Solubility / miscibility: soluble in water

Risk of an explosion: The item is not an explosive

Odor threshold: no data available

9.2 Other information

No data available.

No.C250223000001-2

Date:On February 23,2025 Page 8of11

# Section 1 0-Stability and reactivity

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

The mixture was stable under the handling and storage conditions recommended in Part 7.

#### 10.3 Potential of hazardous reactions

No data available.

#### 10.4 Conditions that should be avoided

Stay away from the fire.

#### 10.5 Incompatible materials

No data available.

## 10.6 Hazardous decomposition products

No data available.

# Section 11-Toxicology information

-Oral information: No data is available.

-Percutaneous: No data is available.

-Inspiration: No data available.

Acute toxicity: no data are available. Skin corrosion / irritation: class 3.

Ocular hazard / irritation: (Category 2A)

Respiratory or skin allergy: No data are available.

Toxicence kinetics, metabolism and distribution: no data available.

Effect of CMR (carcinogenic, genetic mutation, reproductive toxicity): No data available.

Germ cell mutagenicity: no data available.

Carcinogenicity: No data are available.

Reproductive toxicity: No data are available.

Specific target organ toxicity-Single contact: No data available.

Specific target organ toxicity-repeated exposure: no data available.

Inhalation hazard: No data is available.

And the LD50 / LC50 values associated with the classification

no data are available.



No.C250223000001-2

Date:On February 23,2025

Page9of11

# Section 12-Ecological information

No aquatic toxicity data were available for the mixture. The component data are as follows:

No data available.

12.2 Persistence and degradability

Solsoluble in water, persistence is unlikely based on available information.

12.3 Bioaccumulation potential

No data available.

12.4 Fluidity in the soil

No data available.

12.5PBT and vPvB Assessment Results PBT:

vPvB:N/A

12.6 Other adverse effects

Endocrine disruptor information: No data is available.

Persistent organic pollutants: no data available.

Ozone layer depletion potential: no data available.

# Section 13 -Disposal considerations

Proper waste management of mixtures and / or their containers must be determined in accordance with Directive 2008 / 98 / EC.

#### 13.1 Waste treatment method

Waste disposal methods shall be disposed of in accordance with the applicable regional and local laws and regulations.

#### Pollution packaging treatment

Fully empty the container. Attach the label to the container.



No.C250223000001-2

Date:On February 23,2025

Page10of11

# Section 14-Transport information

14.1 UN number

ADN/ADR/RID: UN1993 IMDG/IMO: UN1993

IATA/ICAO: UN1993

14.2The United Nations official transport name

ADN/ADR/RID: Flammable liquid, not otherwise specified IMDG/IMO: Flammable liquid, not otherwise specified

IATA/ICAO: Flammable liquid, not otherwise specified

14.3 Transportation hazard classification

ADN/ADR/RID: 3

IMDG/IMO: 3
IATA/ICAO: 3

14.4 Packaging category

ADN/ADR/RID:

IMDG/IMO:

IATA/ICAO:

14.5, Environmental hazards

Marine pollutants: No

14.6 Special protective measures for the users

flammable liquid.

14.7 Transport of bulk cargo as per MARPOL 73 / 78 Annex II and IBC Code

Not applicable, packaged goods.

14.8 EmS No

No specific data.

14.9 Shipping labels and signs



#### Precautions for transportation

The packaging container shall be checked to be complete and sealed to ensure that the container shall not collapse, fall, or damage, shall not be placed with no oxidant and strong acid, and the edible chemicals shall be mixed and transported according to the prescribed route.



No.C250223000001-2

Date:On February 23,2025 Page11of11

## Section 15-Administrative information

15.1 Specific to the safety, health and environmental regulations concerning pure substances or mixtures Regulatory Information: (EC) Regulation No.1272 / 2008 Committee Regulation No.2017 / 542 Committee Regulation (EU) 202020 / 878 Regulation (EC) Regulation 1907 / 2006 (EU) Regulation No.528 / 2012 (EU) No.1107 / 2009 SVHC Candidate arrival List Annex 14 Authorization Regulation Annex 17 Restricted Reaching Regulation Annex 14 authorized List of Dangerous Goods Transportof Dangerous Goods Regulation Proposal Model Code International Technical Note for Safe Transportation of Dangerous Goods at Sea Reference: Safety Management Regulations for Hazardous Chemicals. According to the safe use of hazardous chemicals, production, storage, transportation, loading and unloading and other aspects of the corresponding provisions are made.

## Section 16-Additional information

Reference: No.

disclaimer

The relevant information about this MSDS comes from what we consider reliable. However, the information presented has nothing, express or implied, to guarantee its correctness. The treatment, storage, use, or disposal conditions or methods of the product may be beyond our control and also beyond our knowledge. For the above and other reasons, we assume no liability and express liability for any loss, damage or expense arising from or in any way in connection with the processing, storage, use or disposal of the Product. This material safety description is intended for this product only. This MSDS information may not be applicable if this product is used as a component of other products,

\*\*\*\*\*\*\*The file finished \*\*\*\*\*\*\*